

Rigid endoscopes

with adjustable viewing direction "Sirius"

COBB
FIBRE OTTICHE



This "SIRIUS" rigid endoscope model is supplied as standard in diameters of 6 and 8 mm, with various working lengths. The viewing direction can be adjusted during inspection from forward 45° to retrograde 115°.

COBB FIBRE OTTICHE SRL

Via Nelson Mandela, 20 | 24048 Treviolo (BG) | Italy Tel. +39 035 0448601 - Fax +39 035 0448585
info@fibre-ottiche.com - www.endoscopi-industriali.it

Rigid endoscopes

with adjustable viewing direction "Sirius"

COBB
FIBRE OTTICHE

- Adjustable viewing direction from forward 45° to retrograde 115°
- Total field of view achievable through adjustment: 120°
- Field of view in fixed observation: 50°
- Focus adjustment from 5 mm to infinity
- Viewing direction rotatable up to 370° (panoramic)
- Touch indicator for orientation display
- Ergonomic handle
- Computer-optimized optical system
- Optical components specifically designed for each diameter
- Wide range of viewing directions available
- External probe made of stainless steel
- Waterproof and fully immersible along the entire working length
- Precise ratio of illumination optical fibers relative to lens diameter
- Latest-generation achromatic optics with very low light attenuation
- Connection to cameras and video cameras via appropriate adapters
- Highly impact-resistant PVC carrying case

ACCESSORIES

- Camera lens connectable to the eyepiece
- C-mount for camera
- Light guide cables
- Light sources
- Removable connectors for compatibility with other brands of light cables




COBB FIBRE OTTICHE SRL

Via Nelson Mandela, 20 | 24048 Treviolo (BG) | Italy Tel. +39 035 0448601 - Fax +39 035 0448585
info@fibre-ottiche.com - www.endoscopi-industriali.it

Rigid endoscopes

with adjustable viewing direction "Sirius"

COBB
FIBRE OTTICHE



ENDOSCOPES Ø 6.0 mm

Code	Length	Field of View	Viewing Direction
TS-060-VAR-50-022-QR+	22 CM	50°	From 45° to 115°
TS-060-VAR-50-029-QR+	29 CM		
TS-060-VAR-50-045QR+	45 CM		
TS-060-VAR-50-060-QR+	60 CM		
TS-060-VAR-30-022-QR+	22 CM	30°	
TS-060-VAR-30-029-QR+	29 CM		
TS-060-VAR-30-045-QR+	45 CM		
TS-060-VAR-30-060-QR+	60 CM		
TS-060-VAR-Z50-022-QR+	22 CM	50° with zoom	
TS-060-VAR-Z50-029-QR+	29 CM		
TS-060-VAR-Z50-045-QR+	45 CM		
TS-060-VAR-Z50-060-QR+	60 CM		

ENDOSCOPES Ø 8.0 mm

Code	Length	Field of View	Viewing Direction
TS-080-VAR-50-023-QR+	23 CM	50°	From 45° to 115°
TS-080-VAR-50-032-QR+	32 CM		
TS-080-VAR-50-044QR+	44 CM		
TS-080-VAR-50-056-QR+	56 CM		
TS-080-VAR-50-065-QR+	65 CM		
TS-080-VAR-50-091-QR+	91 CM		
TS-080-VAR-30-023-QR+	23 CM	30°	
TS-080-VAR-30-023-QR+	44 CM		
TS-080-VAR-30-065-QR+	65 CM		
TS-080-VAR-Z50-023-QR+	23 CM	50° con zoom	
TS-080-VAR-Z50-032-QR+	32 CM		
TS-080-VAR-Z50-044-QR+	44 CM		
TS-080-VAR-Z50-056-QR+	56 CM		
TS-080-VAR-Z50-065-QR+	65 CM		

COBB FIBRE OTTICHE SRL

Via Nelson Mandela, 20 | 24048 Treviolo (BG) | Italy Tel. +39 035 0448601 - Fax +39 035 0448585
info@fibre-ottiche.com - www.endoscopi-industriali.it